

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Triton® X-100 lysis buffer with glycerol (2X), pH 7.4
Cat No. : J63866

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company
Avocado Research Chemicals Ltd.
(Part of Thermo Fisher Scientific)
Shore Road, Heysham
Lancashire, LA3 2XY,
United Kingdom
Office Tel: +44 (0) 1524 850506
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Environmental hazards

Based on available data, the classification criteria are not met

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H319 - Causes serious eye irritation

Precautionary Statements

P280 - Wear eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

Contains a known or suspected endocrine disruptor

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

Contains a substance on the National Authorities Endocrine Disruptor Lists

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	84.3	-
Glycerin	56-81-5	200-289-5	10	-
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omega.-hydroxy-	9002-93-1		2	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Sodium chloride	7647-14-5	231-598-3	1.75	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	1.58	-
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	613-386-6	0.37	Acute Tox. 4 (H332) STOT RE 2 (H373)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Hydrogen chloride, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 12
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Glycerin	TWA: 10 mg/m ³ 8 hr (mist only)		TWA: 10 mg/m ³ 8 hr. (mist)

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Oral)	Acute effects systemic (Oral)	Chronic effects local (Oral)	Chronic effects systemic (Oral)
Ethylenediaminetetraacetic acid, disodium salt dihydrate				DNEL = 25 mg/kg

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

6381-92-6 (0.37)				
--------------------	--	--	--	--

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium chloride 7647-14-5 (1.75)		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.58)				DNEL = 216.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Glycerin 56-81-5 (10)			DNEL = 56mg/m ³	
Sodium chloride 7647-14-5 (1.75)		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.58)				DNEL = 152.8mg/m ³
Ethylenediaminetetraacetic acid, disodium salt dihydrate 6381-92-6 (0.37)	DNEL = 3 mg/m ³	DNEL = 3 mg/m ³	DNEL = 0,6 mg/m ³	DNEL = 1,5 mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Glycerin 56-81-5 (10)	PNEC = 0.885mg/L	PNEC = 3.3mg/kg sediment dw	PNEC = 8.85mg/L	PNEC = 1000mg/L	PNEC = 0.141mg/kg soil dw
Sodium chloride 7647-14-5 (1.75)	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw
Ethylenediaminetetraacetic acid, disodium salt dihydrate 6381-92-6 (0.37)	PNEC = 2,5 mg/l				PNEC = 1,1 mg/kg

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Glycerin 56-81-5 (10)	PNEC = 0.0885mg/L	PNEC = 0.33mg/kg sediment dw			
Ethylenediaminetetraacetic acid, disodium salt dihydrate 6381-92-6 (0.37)	PNEC = 0,25 mg/l				

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Glycerin	-1.75	
Poly(oxy-1,2-ethanediyl),	2.7	

ALFAAJ63866

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

.alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-
1,3-Propanediol,
2-amino-2-(hydroxymethyl)-,
hydrochloride

-3.6

Vapor Pressure
Density / Specific Gravity

23 hPa @ 20 °C
No data available

Bulk Density

Not applicable

Vapor Density

No data available

Particle characteristics

Not applicable (liquid)

Liquid
(Air = 1.0)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization

No information available.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen chloride. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Glycerin	12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L/4h (Rat)(mist)
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omega.-hydroxy-	1800 mg/kg (Rat)	-	-
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 425 (Rat) LD50 > 5000 mg/kg bw	OECD 402 (Rat) LD50 > 5000 mg/kg bw	-
---	--	--	---

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.58)	OECD Test Guideline 406	guinea pig	non-sensitising

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.58)	OECD Test Guideline 471 Bacterial Reverse Mutation Test	Mammalian in vitro	negative

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Glycerin	LC50: 51 - 57 mL/L, 96h static		

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

	(Oncorhynchus mykiss)		
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omega.-hydroxy-	LC50 = 8.9 mg/L 96H LC50 = 4.0 mg/l 96H (Pimephales promelus)	EC50 = 26 mg/L 48h	-
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		Daphnia Magna EC50 >100 mg/L (48h)	

Component	Microtox	M-Factor
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omega.-hydroxy-	-	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 209 EC50 > 1000 mg/L (3h)	

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Component	Degradability
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy- 9002-93-1 (2)	60% >28 days

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Glycerin	-1.75	No data available
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omega.-hydroxy-	2.7	No data available
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	-3.6	No data available

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information Assess endocrine disrupting properties for the environment

Substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Contains a substance on the National Authorities Endocrine Disruptor Lists.

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Group III Chemical	-

Component	EU National Authorities Endocrine Disruptor Lists - Environment	Japan - Endocrine Disruptor Information
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy- 9002-93-1 (2)	List I	-

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

12.7. Other adverse effects

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Glycerin	56-81-5	200-289-5	-	-	X	X	KE-29297	X	X
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	9002-93-1	-	-	-	X	X	KE-33568	X	X
Sodium chloride	7647-14-5	231-598-3	-	-	X	X	KE-31387	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	214-684-5	-	-	X	X	KE-34819	X	-
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	-	-	-	X	X	-	-	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Glycerin	56-81-5	X	ACTIVE	X	-	X	X	X
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	9002-93-1	X	ACTIVE	X	-	X	X	X
Sodium chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	X	-	X	X	X
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	-	-	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Glycerin	56-81-5	-	-	-
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-	9002-93-1	Endocrine disrupting properties (Article 57(f) - environment) Application date: July 4, 2019 Sunset date: January 4, 2021 Exemption - extended latest application and sunset date for the research, development and production of medicinal products or medical devices in view of their use for the diagnosis, treatment or prevention of the coronavirus disease (COVID-19)	-	SVHC Candidate list - Equivalent level of concern having probable serious effects to the environment (Article 57f - environment)
Sodium chloride	7647-14-5	-	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	-	-	-

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/candidate-list-table>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Glycerin	56-81-5	Not applicable	Not applicable
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydr oxy-	9002-93-1	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Glycerin	WGK1	
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	WGK2	
Sodium chloride	WGK1	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	WGK1	
Ethylenediaminetetraacetic acid, disodium salt dihydrate	WGK2	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Poly(oxy-1,2-ethanediyl), .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-9002-93-1 (2)	Prohibited and Restricted Substances		
Sodium chloride 7647-14-5 (1.75)	Prohibited and Restricted Substances		
Ethylenediaminetetraacetic acid, disodium salt dihydrate 6381-92-6 (0.37)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation
H302 - Harmful if swallowed
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H411 - Toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

SAFETY DATA SHEET

Triton® X-100 lysis buffer with glycerol (2X), pH 7.4

Revision Date 21-Mar-2024

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By

Health, Safety and Environmental Department

Revision Date

21-Mar-2024

Revision Summary

New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet