

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 17-Mar-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Laemmli SDS sample buffer, reducing (4X)</u>

Cat No. : J60015

Unique Formula Identifier (UFI) 7XDK-K651-6X03-KYQX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company .

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

## Physical hazards

Based on available data, the classification criteria are not met

ALFAAJ60015

#### Laemmli SDS sample buffer, reducing (4X)

Revision Date 17-Mar-2024

#### **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Socials File Damage (File Irritation Category 4 (H312)

Serious Eye Damage/Eye Irritation Category 1 (H318)
Skin Sensitization Category 1 Sub-category 1A (H317)

#### **Environmental hazards**

Chronic aquatic toxicity Category 2 (H411)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H302 + H332 - Harmful if swallowed or if inhaled

Combustible liquid

## **Precautionary Statements**

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	42.38	=
Glycerin	56-81-5	200-289-5	40	-
Sodium lauryl sulfate	151-21-3	205-788-1	8	Flam. Sol. 2 (H228)

Revision Date 17-Mar-2024

#### Laemmli SDS sample buffer, reducing (4X)

2-Mercaptoethanol	60-24-2	EEC No. 200-464-6	8	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aq. Chronic 3 (H412) Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	1.6	-
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6- dibromo-, S,S-dioxide, monosodium salt	62625-28-9	EEC No. 263-653-2	0.02	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
2-Mercaptoethanol	-	1	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Difficulty in breathing. Causes eye burns. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### Laemmli SDS sample buffer, reducing (4X)

Revision Date 17-Mar-2024

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Revision Date 17-Mar-2024

## 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

## **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Glycerin	TWA: 10 mg/m <sup>3</sup> 8 hr (mist		TWA: 10 mg/m <sup>3</sup> 8 hr. (mist)
	only)		

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium lauryl sulfate 151-21-3 ( 8 )				DNEL = 4060mg/kg bw/day
2-Mercaptoethanol 60-24-2 ( 8 )		DNEL = 0.05mg/kg bw/day		DNEL = 0.05mg/kg bw/day
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.6)				DNEL = 216.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Glycerin 56-81-5 ( 40 )			DNEL = 56mg/m <sup>3</sup>	
Sodium lauryl sulfate 151-21-3 ( 8 )				DNEL = 285mg/m <sup>3</sup>
2-Mercaptoethanol 60-24-2 (8)		DNEL = 0.17mg/m <sup>3</sup>		DNEL = 0.17mg/m <sup>3</sup>
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.6)				DNEL = 152.8mg/m <sup>3</sup>

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Glycerin	PNEC = 0.885mg/L	PNEC = 3.3mg/kg	PNEC = 8.85mg/L	PNEC = 1000mg/L	PNEC =
56-81-5 ( 40 )		sediment dw		-	0.141mg/kg soil dw
Sodium lauryl sulfate	PNEC = 0.176mg/L	PNEC = 6.97mg/kg	PNEC = 0.055mg/L	PNEC = 1.35mg/L	PNEC = 1.29mg/kg
151-21-3 ( 8 )	_	sediment dw	_		soil dw

Revision Date 17-Mar-2024

#### Laemmli SDS sample buffer, reducing (4X)

2-Mercaptoethanol	PNEC =	PNEC =	PNEC = 0.004mg/L	PNEC = 60mg/L	PNEC =
60-24-2 (8)	0.00632mg/L	0.024mg/kg		_	0.908mg/kg soil dw
		sediment dw			

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Glycerin	PNEC =	PNEC = 0.33mg/kg			
56-81-5 ( 40 )	0.0885mg/L	sediment dw			
Sodium lauryl sulfate	PNEC =	PNEC =			
151-21-3 (8)	0.0176mg/L	0.697mg/kg			
		sediment dw			
2-Mercaptoethanol	PNEC =	PNEC =			
60-24-2 (8)	0.000632mg/L	0.0024mg/kg			
	_	sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Revision Date 17-Mar-2024

Laemmli SDS sample buffer, reducing (4X)

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

**Appearance** 

Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 68 °C / 154.4 °F Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablepHNo information availableViscosityNo data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowGlycerin-1.75Sodium lauryl sulfate1.62-Mercaptoethanol-0.0561,3-Propanediol,-3.6

2-amino-2-(hydroxymethyl)-,

hydrochloride

Vapor Pressure No data available Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Explosive Properties explosive air/vapour mixtures possible

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

Revision Date 17-Mar-2024

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4 Dermal Category 3 Inhalation Category 4

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Glycerin	12600 mg/kg ( Rat )	> 10 g/kg(Rabbit)	> 2.75 mg/L/4h ( Rat )(mist)
Sodium lauryl sulfate	LD50 = 1288 mg/kg ( Rat )	LD50 = 200 mg/kg ( Rabbit )	LC50 > 3900 mg/m <sup>3</sup> (Rat) 1 h
2-Mercaptoethanol	LD50 = 244 mg/kg (Rat)	150 μL/kg (Rabbit) 112 - 224 mg/kg (Rabbit)	-
1,3-Propanediol,	OECD 425 (Rat)	OECD 402 (Rat)	-
2-amino-2-(hydroxymethyl)-, hydrochloride	LD50 > 5000 mg/kg bw	LD50 > 5000 mg/kg bw	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Sub-category 1A

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 406	guinea pig	non-sensitising
2-amino-2-(hydroxymethyl)-, hydrochloride			_
1185-53-1 ( 1.6 )			

No information available

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 471	Mammalian	negative
2-amino-2-(hydroxymethyl)-, hydrochloride	Bacterial Reverse Mutation Test	in vitro	_
1185-53-1 ( 1.6 )			

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

**Target Organs** No information available. Laemmli SDS sample buffer, reducing (4X)

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Revision Date 17-Mar-2024

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)		
Sodium lauryl sulfate	1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia magna)	EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus)
2-Mercaptoethanol		EC50: = 1.52 mg/L, 48h (Daphnia magna)	EC50: = 12 mg/L, 72h (Desmodesmus subspicatus)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		Daphnia Magna EC50 >100 mg/L (48h)	

Component	Microtox	M-Factor
Sodium lauryl sulfate	= 0.46 mg/L EC50 Photobacterium phosphoreum	
	30 min	
	= 0.72 mg/L EC50 Photobacterium phosphoreum	
	15 min	
	= 1.19 mg/L EC50 Photobacterium phosphoreum 5	
	min	
2-Mercaptoethanol	= 125 mg/L EC50 Pseudomonas putida 17 h	1
1,3-Propanediol,	OECD 209	
2-amino-2-(hydroxymethyl)-, hydrochloride	EC50 > 1000 mg/L (3h)	

## 12.2. Persistence and degradability

**Persistence** 

Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

#### Laemmli SDS sample buffer, reducing (4X)

Component	log Pow	Bioconcentration factor (BCF)
Glycerin	-1.75	No data available
Sodium lauryl sulfate	1.6	No data available
2-Mercaptoethanol	-0.056	No data available
1,3-Propanediol,	-3.6	No data available
2-amino-2-(hydroxymethyl)-, hydrochloride		

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

Revision Date 17-Mar-2024

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

Laemmli SDS sample buffer, reducing (4X)

Revision Date 17-Mar-2024

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

**14.5. Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	X	-
Glycerin	56-81-5	200-289-5	-	-	X	X	KE-29297	X	Х
Sodium lauryl sulfate	151-21-3	205-788-1	-	-	Х	Х	KE-21884	X	Х
2-Mercaptoethanol	60-24-2	200-464-6	-	-	Х	Х	KE-23095	X	Х
1,3-Propanediol,	1185-53-1	214-684-5	-	-	Х	Х	KE-34819	Х	-
2-amino-2-(hydroxymethyl)-, hydrochloride									
Phenol,	62625-28-9	263-653-2	-	-	Х	Х	-	-	-
4,4'-(3H-1,2-benzoxathiol-3-yliden									
e)bis[2,6-dibromo-, S,S-dioxide,									
monosodium salt									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	ı	X	Х	X
Glycerin	56-81-5	Х	ACTIVE	Х	-	X	Х	X
Sodium lauryl sulfate	151-21-3	Х	ACTIVE	X	ı	X	Х	X
2-Mercaptoethanol	60-24-2	X	ACTIVE	Х	ı	X	Х	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	Х	1	X	X	Х
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-yliden e)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	Х	ACTIVE	Х	-	-	Х	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Glycerin	56-81-5	-	-	-
Sodium lauryl sulfate	151-21-3	-	-	-
2-Mercaptoethanol	60-24-2	-	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-
Phenol,	62625-28-9	-	-	-

Revision Date 17-Mar-2024

#### Laemmli SDS sample buffer, reducing (4X)

4,4'-(3H-1,2-benzoxathiol-3-ylidene)		
bis[2,6-dibromo-, S,S-dioxide,		
monosodium salt		

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Glycerin	56-81-5	Not applicable	Not applicable
Sodium lauryl sulfate	151-21-3	Not applicable	Not applicable
2-Mercaptoethanol	60-24-2	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
Phenol, 4,4'-(3H-1,2-benzoxathiol-3- ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## **WGK Classification**

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Glycerin	WGK1	
Sodium lauryl sulfate	WGK2	
2-Mercaptoethanol	WGK3	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	WGK1	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium lauryl sulfate	Prohibited and Restricted		
151-21-3 (8)	Substances		
Phenol,	Prohibited and Restricted		
4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-	Substances		
dibromo-, S,S-dioxide, monosodium salt			
62625-28-9 ( 0.02 )			

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H332 - Harmful if inhaled

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H228 - Flammable solid

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 17-Mar-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Health, Safety and Environmental Department **Prepared By** 

**Revision Date** 17-Mar-2024

Laemmli SDS sample buffer, reducing (4X)

Revision Date 17-Mar-2024

**Revision Summary** 

New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**